

# PENNZOIL® ATV/UTV PREMIUM PLUS 10W-40 ENGINE OIL



## Synthetic based 4 Stroke ATV/UTV engine oil

### TECHNICAL DATA SHEET

With advanced technology to protect hot, high-revving 4-stroke engines against wear, Pennzoil® ATV/UTV Premium Plus is the right high-performance full synthetic engine oil to keep your ATV/UTV running smooth in dusty, dirty environments.

#### PERFORMANCE, FEATURES & BENEFITS

- Wet-clutch compatibility
- Smooth shifting and consistent clutch feel
- Cleaner engines in dusty environments
- Protection in extreme temperatures

#### MAIN APPLICATIONS

- Pennzoil® ATV/UTV Premium Plus is formulated for high performance four-stroke outdoor engines requiring SAE 10W-40 including ones with wet clutches.
- Pennzoil® ATV/UTV Premium Plus engine oil meets the specifications of most gas-powered ATVs and UTVs.

#### TYPICAL PHYSICAL CHARACTERISTICS

Properties			Method	Pennzoil ATV/UTV Premium Plus 10W-40 Engine Oil
Kinematic Viscosity	@ 40°C	mm <sup>2</sup> /s	ASTM D445	90.2
Kinematic Viscosity	@ 100°C	mm <sup>2</sup> /s	ASTM D445	14.2
Viscosity Index			ASTM D2270	163
Density	@15°C	kg/m <sup>3</sup>	ASTM D4052	858
Flash Point (COC)		°C	ASTM D92	230
Pour Point		°C	ASTM D97	-33

These characteristics are typical of current production. While future production will conform to Pennzoil's® specification, variations in these characteristics may occur.

#### SPECIFICATIONS, APPROVALS & RECOMMENDATIONS

- Suitable for use where API SN and JASO MA2 are recommended.

For a full listing of equipment approvals and recommendations, please consult your local Pennzoil Technical Helpdesk.

To find the right Pennzoil® product for your vehicles and equipment, please consult [www.pennzoil.com](http://www.pennzoil.com) to look-up the right motor oil recommendation using our oil selector.

# ***PENNZOIL® ATV/UTV PREMIUM PLUS 10W-40 ENGINE OIL***

## ***Synthetic based 4 Stroke ATV/UTV engine oil***

### **HEALTH, SAFETY & ENVIRONMENT**

#### **Health and Safety**

This product is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.

Guidance on Health and Safety is available on the appropriate Safety Data Sheet, which can be obtained from <https://www.epc.shell.com>

#### **Protect the Environment**

Take used oil to an authorised collection point. Do not discharge into drains, soil or water.

### **ADDITIONAL INFORMATION**

#### **Advice**

Advice on applications not covered here may be obtained from your Shell Representative